



Editorially 3.x:

“From Sweet to Suite”

v1 : **Fork**

v2 : **Feature Explosion**

v3 : **Merge**

3+ : **Feature Explosion**



Demo ☆

Content Tests

Developer Tests

Demo

This page provides a simple text editor that demonstrates some common alerts, using your settings.

Image with very long alt text:



Links with no text at all

_____ Empty links

Links only labelled with a URL:

<https://www.youtube.com/watch?v=DLzxrzFCyOs>



30 second intro



Links must have discernible text

1 of 1

[highlight](#) [inspect](#) [more info](#) [more details](#)

Impact: serious

Found on: 4/6/2021 at 7:48 AM

Found: Automatically

Issue Tags:

cat.name-role-value

wcag2a

wcag412

section508

section508.22.a

ACT

Issue Description

Ensures links have discernible text

I had this
idea in
2019...



Of the 30+ tools I evaluated, only Sa11y felt *intuitive*.



es not only flag images missing alt text but you can easily

1y ha

Error


File extension within the alt text found. If the image conveys a story, mood, or important information - be sure to describe the image.

Remove: **.jpg**.

Alt text: doggy.jpg

ow best

text f



Errors 1

Warnings 1

Show Outline

Show Settings




Fork!

Shown at DrupalCon Higher Ed Summit, 2021

Editors want a **non-technical** interface

No.



Links must have discernible text


highlight inspect more info more details

Impact: serious
Found on: 4/6/2021 at 7:48 AM
Found: Automatically

Issue Tags:
cat.name-role-value wcag2a wcag412 wcag244
section508 section508.22.a ACT

Issue Description
Ensures links have discernible text

Yes.



Link title not found

Screen readers will either read the entire url of this link, one character at a time, or say "Link: [...awkward silence...]."

To fix: delete this link if it is just stray tags wrapped around an empty space due to a copy/paste bug, or add alt text if it is a real link wrapped around an image or icon.



v1 was sweet.

- Ran automatically
- Showed inline alerts
- Found ~24 errors


The screenshot shows a web application interface with a navigation bar at the top containing 'Manage', 'jjameson', 'Prod', and 'Help'. Below the navigation bar, there is a list of items, including '3. Have been a list.', 'Cupcake', 'marshm', 'chocola', 'apple pi', 'jujubes marzipan sesame snaps dessert. Dragée', 'lemon drops. Sweet candy canes donut cheeseca', 'jujubes. Chocolate bar croissant fruitcake marzi', 'snaps chocolate cake gummies macaroon puddin', and 'icing iujubes. Caramels sesame snaps cheesecake tart pie cake tart sweet'. A blue error alert box is overlaid on the page, titled 'Error: table has no headers'. The alert text reads: 'Screen reader users rely on table headers to label cells, so they can explore the table without having to count rows and columns. Note that tables should be used for tabular data only, as they cannot reflow for small screens. If this table is only for visual layout, use CSS to create columns instead.' Below the error alert, there is a summary alert that says '3 accessibility issues detected.' with a 'Show next >' link. At the bottom right of the page, there is a notification icon with a red triangle and the number '3'.



2021: Fork

2022: Feature Explosion

DCNJ '23 “Building a Drupal-integrated Accessibility Checker”



v2: Dismissals!



Manual check: should this be a heading?

If this all-bold line of text is functioning as a heading for the following text rather than a visual emphasis, replace the bold formatting with the appropriately numbered heading. Otherwise, dismiss this alert.

Headings and subheadings create a navigable table of contents for assistive devices. The heading's **number** indicates its **depth** in the page outline; e.g.:

- Heading level 1
 - Heading level 2: a topic
 - Heading level 3: a subtopic
 - Heading level 2: a new topic

 Page editor

 Mark as checked and OK

 Ignore this manual check

v2: Dashboard!

Pages with the most issues

Page	Count
Give it a go and grow your own herbs	11
Dairy-free and delicious milk chocolate	11
Accompaniments	1
About Umami	1
Home	1

[View all pages with issues](#)

Most frequent issues

Issue	Count
Manual check: is this link meaningful and concise?	5
Manual check: was a heading level skipped?	3
Manual check: is this link text a URL?	3
Manual check: long heading	2
Manual check: is this a blockquote?	2

[View all issues](#)

Open site reports in new tab



11



2024: *As-you-type*, in-editor checking!

The screenshot shows a web editor interface. At the top, there's a navigation bar with a checkmark icon, a plus sign, and navigation arrows. The main content area is split into two columns. The left column has the heading "Keep it simple." and the right column has "The authoring experience:". Below these are paragraphs of text and a list of three items. A blue modal box is overlaid on the right side, containing a warning message: "Manual check: image has no alt text". The modal text explains that images need alt text for accessibility and provides a list of three bullet points describing a soccer game scene. At the bottom of the modal are two buttons: "Mark as ignored" and "Mark as OK". To the right of the main content is a sidebar with a "Page" tab, a "Block" tab, and a "Set featured image" button. Below that, it shows word count and read time, and a list of metadata including Status (Published), Publish date (March 2, 2023 8:58 pm), Link, Author (John Jameson), Template (Default template), Discussion (Pings only), Revisions (57), and Parent (None). At the bottom right of the sidebar is a "Move to trash" button. The bottom of the editor shows "Issue 1 / 1" and a close button.

Keep it simple.

Editoriary (editorial ally) is a user-friendly accessibility “spellcheck” that addresses three critical needs for content authors:

1. It **shows results inline, automatically.** Authors do not need to remember to click a button on the dashboard. Tips and alerts appear when relevant on pages and inside editing tools.
2. It **exclusively checks for issues a content author can fix.** Comprehensive testing with other tools is a critical part of making a site accessible, but the results are not the content author's responsibility.
3. It **checks fully-rendered content.** Modern content management systems assemble pages from rendered edited blocks, widgets and elements. Checkers in the editor or checking plain HTML misses dynamic content errors.

Editoriary does not *modify* your content. It is a read-only check.

The authoring experience:

Manual check: image has no alt text

Unless this image is purely decorative (a spacer icon or background texture), an alt should probably be provided. Photos in page content **almost always need alt text.** Since many screen reader users can see there is an image present, it can be very confusing to move the cursor across the place on the page where an image is visible, but hear nothing.

Note that a **good alt** describes the image's message, not simply what it contains. Depending on the context, the alt for the picture of a child kicking a ball might emphasize the setting, the child, the kick or the ball:

- The sunny spring day brought kids to the park for some soccer.
- A.J. wearing the new team uniform.
- The game-winning kick curved in from the left sideline!
- The size 4 ball is the right size for this 9-year-old child.

[Mark as ignored](#) [Mark as OK](#)

Page Block

About Homepage

Set featured image

736 words, 4 minutes read time.
Last edited a minute ago.

Status [Published](#)

Publish [March 2, 2023 8:58 pm](#)

Link <https://editoria11y.princeton.edu/>

Author [John Jameson](#)

Template [Default template](#)

Discussion [Pings only](#)

Revisions [57](#)

Parent [None](#)

[Move to trash](#)

Issue 1 / 1 ? x





Now let's look ahead.

v1: Fork

v2: Feature explosion

v3: **MERGE**

Editoria11y 🧡🧡 Sa11y





Merging

In the years after the fork,
Adam added ~**50** tests:

- Contrast checking
- Form fields and button labels
- Page metadata


...not CKEditor mistakes, mostly...



Merging cores, not wrappers

Adam provides more *in-panel* features:

- User tools
- Experimental tests



I provide more *system integrations*:

- As-you-type live-checking
- Synced dismissals
- Site reports



v3 beta uses the merged test suite



There's no such ID

Broken same-page link

The link target does not match any elements on this page.

[Edit page](#)

Alert 68 / 91

Anchor 1 Anchor 2

Duplicate ID attribute

IDs are being used on this page for labels or link targets, which means they must be unique.

To fix Change this ID: #dupe

[Edit page](#)

In most content n
"id" in the elemen

placeholder
with a

< >

doi.org/10.1145/2402612.2520489

Link article titles, not DOI numbers

To fix Link the article title and provide the DOI number as plain text, rather than linking the DOI number and leaving the article title as plain text.

Do not use sub/superscript as visual formatting

Subscript and superscript formatting makes text too small to be easily read for many people. It should only be used for individual words or phrases, such as ordinal numbers (4th), chemical formulas (H₂O) and references to footnotes.

[Edit page](#)

Alert 78 / 91

Ignore ✓ Mark OK < >

Ignore ✓ Mark OK < >

Excessive superscript or subscript
subscript should be used for small
references and footnotes, not entire sentences or paragraphs.

Merging our test suites freed me to work on the backend

...rearchitecting DB tables uses a *lot* of whiteboard space.



3.x tables

Pages

Drupal ID +
Entity type

Title (cached)
Path (cached)

Results

Pages ref
Issue data

Drupal tables

Node ID


Title
Path
Author
Published
Last edited

Term ID

Title
Path

User ID

Title
Path



Pages with alerts ☆

Dashboard Recent Alerts **Pages** Dismissals Export Recheck

^ Filter and sort

Filter and sort options:

- Title:
- Page path:
- Author: Enter a comma separated list of user names.
- Editor: Enter a comma separated list of user names.
- Authored before: YYYY-MM-DD
- Authored after: YYYY-MM-DD
- Content type:
- Entity type:
- Published: - Any -
 Yes
 No
- Language: 2-letter code (en, fr, de)
- Sort by:
- Order:
- Items per page:

Content alerts	Dev alerts	Title	Path	Type	Authored	Author	Edited	Editor	Language	Published
129	3	foobar	/en/node/23	Recipe	2025-10-16	admin	2025-10-16	admin	English	<input type="checkbox"/>
88	3	view.views_accordion.page_1	/en/views-accordion	View: Views accordion					English	
29	3	hi	/en/aliassss	Basic page	2025-10-16	admin	2025-10-24	admin	English	<input type="checkbox"/>
27	2	Hola	/es/node/27	Basic page	2025-10-23	admin	2025-10-24	admin	Spanish	<input type="checkbox"/>



So the reports can now filter and sort by... anything!

Use the new relationships to add your own filters and columns, or extend your own views.

...just remember that *my* Views sometimes reset to import new config.



Administration > Structure > Views > [View Name]

14 shortcuts > 12 Announcements > This site is included for administrative purposes.

Add relationships ✕

Search: Category: ▾

	Title	Category	Description
<input type="checkbox"/>	Relate from node data to Editoria11y page	Editoria11y	Issues were found on this node
<input type="checkbox"/>	Relate from users list to Editoria11y results on bio page	Editoria11y	Issues were found on this user bio page

Exposed form

I moved CSV exports into a submodule so it can do all this too:

Export page with alerts ☆

[Export pages](#) [Export alerts](#) [Export dismissals](#)

Records chosen for export can be filtered and previewed below.

[Download CSV](#) CSV

[Reset filters](#)

[Back to dashboard](#)

^ Filter

Title

Authored by



Authored after

Authored before

Entity Type

Content type

Published

Page language

Items per page

[Apply](#)

Content alerts	Dev alerts	Title	Path when checked	Current URL	Author	Type	Language	Authored on
1	2	Borscht con costillas de cerdo	/es/recipes/borscht-con-costillas-de-cerdo	https://ed11yddev.ddev.site/es/recipes/borscht-con-costillas-de-cerdo	Umami	Recipe	Spanish	2025-09-19



I helped as
joevagyok &
nikro wrote
AI: Editoria11y



Summary*

B *I* U x^2 x_2 *Text*

Is this uppercase text needed?


LARGE BLOCKS OF UPPERCASE TEXT ARE MORE DIFFICULT TO READ, AND ARE OFTEN INTERPRETED AS SHOUTING.

To fix Only emphasize a few words at a time, preferably via bold formatting rather than caps lock.

Edit this content Fix with AI Alert 1 / 128

Note: screen readers do not announce visual only formatting like bold text. Use a heading style instead if this emphasized text introduces a topic change or critically important content.

Manual check Ignore Mark OK Similar alerts



AI Editoria11y Assistant ✕

Fix accessibility issues detected by Editoria11y using AI suggestions.

Is this uppercase text needed?

<p> — "This is an editable region -- click in to see the TinyMCE interface appear. Add..."

Ask for a fix

Suggested fix

Text content

BEFORE This is an editable region -- click in to see the TinyMCE interface appear. Add and delete content, create and fix issues. The easiest way to get a new tip to appear is to TYPE A SENTENCE IN CAPS LOCK.

AFTER This is an editable region -- click in to see the TinyMCE interface appear. Add and delete content, create and fix issues. The easiest way to get a

Save changes to editor

And I set up 16 machine translations.

ALT_FILE_EXT: 'Dieser Alt-Text ist ein
Dateiname, keine Beschreibung',

ALT_FILE_EXT: 'Este texto alternativo é um nome
de arquivo, não uma descrição',

ALT_FILE_EXT: 'Το εναλλακτικό κείμενο (alt)
είναι όνομα αρχείου, όχι περιγραφή',

ALT_FILE_EXT: 'この代替テキストは説明ではなくファイル
名です',

ALT_FILE_EXT: '此替代文本是文件名，而不是描述',

ALT_FILE_EXT: 'Este texto alternativo es un
nombre de archivo, no una descripción',



Editorial 11y 3.x Roadmap	Active	Normal	Feature request	3.0.x-dev	Feature and test requests	46	2 weeks 1 day	itmaybejj
Add possibility to filter by status (draft, published etc) pages	Closed (fixed)	Normal	Feature request	3.0.0-alpha1	Feature and test requests	14 1 new	2 weeks 20 hours	
Allow configuration by user role	Closed (fixed)	Normal	Feature request	3.0.x-dev	Feature and test requests	9	2 hours 25 min	
My pages with accessibility issues	Closed	Normal	Feature request	3.0.x-dev	Feature and test requests	9 1 new	2 weeks 20 hours	itmaybejj
Add the ability to turn off the "I" per user	Closed (fixed)	Normal	Feature request	3.0.x-dev	Feature and test requests	9 1 new	1 week 5 days	itmaybejj
Allow turning Editorial 1y check on click instead of page load by setting (to not modify the page on load, e.g. for Themers)	Closed (fixed)	Normal	Feature request	2.2.x-dev	Feature and test requests	12 1 new	2 weeks 20 hours	itmaybejj
Consider adding a missing iframe title check?	Closed (fixed)	Normal	Feature request	2.0.x-dev	Feature and test requests	10 1 new	2 weeks 20 hours	itmaybejj
Schema error	Closed (fixed)	Minor	Feature request	3.0.0-alpha1	Conflicts with other modules	11 1 new	2 weeks 20 hours	itmaybejj

'21: Fork

'22: Feature explosion

'25: Merge

'26+: Feature explosion



...I've made progress in the last six months...

Editoria11y 3.x Roadmap	Active	Normal	Feature request	3.0.x-dev	Feature and test requests	46
Add possibility to filter by status (draft, published etc) pages	Closed (fixed)	Normal	Feature request	3.0.0-alpha1	Feature and test requests	14 1 new
Allow configuration by user role	Closed (fixed)	Normal	Feature request	3.0.x-dev	Feature and test requests	9
My pages with accessibility issues	Closed (fixed)	Normal	Feature request	3.0.x-dev	Feature and test requests	9 1 new
Add the ability to hide / turn off the UI per user	Closed (fixed)	Normal	Feature request	3.0.x-dev	Feature and test requests	9 1 new
Allow running Editoria11y check on click instead of page load by setting (to not modify the page on load, e.g. for Themers)	Closed (fixed)	Normal	Feature request	2.2.x-dev	Feature and test requests	12 1 new
Consider adding a missing iframe title check?	Closed (fixed)	Normal	Feature request	2.0.x-dev	Feature and test requests	10 1 new
Schema error	Closed (fixed)	Minor	Feature request	3.0.0-alpha1	Conflicts with other modules	11 1 new



But during
that time the
wishlist got
LONGER.

Easy

Doable

...needs a
proper team,
not one guy

1. Custom test builder

2. Auditor tools

- a. More name/role/value/keyboard tests
- b. Code snippets for hidden problems?
- c. In-page issue detail reports?
- d. CLI tools?

3. Content governance tools

Site score/progress visualization?

- a. Multi-site monitoring dashboard?
- b. Broken link checking?
- c. PDF checking?
- d. Image of text detection?
- e. Task management?
- f. Flagged words?
- g. Bulk alt text remediation?



Princeton is
letting me
plant a CSA
to fund it:

Community
Supported
Agriculture
Addons



Community-supported addons

Editoria11y project members guide & support the development of the Editoria11y library and its CMS plugins.

Members also have access to the "Community Supported Add-ons" (CSA) suite for Drupal (currently free in beta) and WordPress (eta mid-2026):

Features

- Add developer and contrast tests to the core test suite.
- Create "split configuration" for separate rulesets for developers and content creators.
- Allow site-wide issue dismissals
- Provide dashboard maintenance tools and crawlers
- *Gain features from the project roadmap*

CSA member benefits

- Given priority support and over-weighted voting in issue queues and on project Slack channels.
- Can test and influence in-development features.
- Can request consideration for a [public supporter credit](#) on this site.
- Receives direct assistance* with plugin installation and configuration.

Membership

Community-supported addons

- > Features
- > CSA member benefits
- > Join

CSA projects

- > Active
- > Under discussion

Contacts

don't
panic.

1. **Core remains *free*.**

I consider core ***a public good***. It is unique.

CSA won't be unique: just turnkey and open source.



don't
panic.

1. **Core remains *free*.**

I consider core ***a public good***. It is unique.
CSA won't be unique: just turnkey and open source.

2. **CSA won't have any cloud lock-in.**

Fully open source; local code, local DB.



don't
panic.

1. **Core remains *free*.**

I consider core *a public good*. It is unique.
CSA won't be unique: just turnkey and open source.

2. **CSA won't have any cloud lock-in.**

Fully open source; local code,

3. **The “S” is for “*Support*,” not “\$\$\$”**

Plenty of alternate membership paths:

- Code contribution credits.
- Testing, documentation & translation credits.
- Drupal a11y bugfix bounties.



I've worked many nights and weekends to seed the CSA.



Here's what is in the beta...



Contrast tests

Search by keyword, ingredient, dish Search



Does this text have enough contrast?

A background image or gradient means this color is behind this text. Use the color picker below. Large sized text should have at least a 4.5:1 ratio.

Contrast: Unknown

Foreground



Background

Manual check

Ignore

Manual

Choose a color

The color picker interface shows three sliders: Red (244), Green (217), and Blue (110). The hex color #F4D96E is displayed. There are also icons for color selection methods like color wheel, color palette, and color picker.



Readability scoring



 Headings

 Alt text

 Readability



68 **Good**

Average words per sentence: 15

Complex words: 10%

Words: 128

Role-based Config



Additional tests and split configuration for developers

Developer check area

- All elements
- Only the containers listed in the Content Setting tab
- The specific containers listed below

"All elements" selects all descendants of the body tag, excluding Drupal admin toolbars.

Ignore for both developers and content editors

Any areas that are excluded for developers will also be excluded for content editors. Do not exclude editable content areas!

Roles that will see developer alerts

- Administrator
- Author
- Editor

Checker mode for developer roles

- Start open if there are any alerts
- Start open if there are new alerts
- Start minimized

Test-level role settings



Link and bookmark tests

Defaults are marked with a *

Duplicate ID attribute

Show to developers only* ▾

DUPLICATE_ID

This link has a tooltip with the same text as the link

Show to developers only* ▾

DUPLICATE_TITLE

Manual check: link contains "click here"

Off* ▾

LINK_CLICK_HERE

Link with invalid "aria-labelledby" attribute

Show to developers only* ▾

LINK_EMPTY_LABELLEDBY

Link points to a file without warning

Show to developers only* ▾

LINK_FILE_EXT

Does this link uniquely describe its destination?

Show to developers only* ▾

LINK_IDENTICAL_NAME

Manual check: linked image with alt text

Off* ▾

LINK_IMAGE_ALT

Meaningful link text only available to screen reader users

Show to developers only* ▾

LINK_STOPWORD_ARIA

Manual check: link target may be invalid

Show to developers only* ▾

QA_BAD_LINK

Content & layout tests

Defaults are marked with a *

The first heading on this page is a subheading

Show to developers only* ▾

HEADING_FIRST

This page is missing a Heading 1

Show to developers only* ▾

HEADING_MISSING_ONE

Image in a carousel or gallery marked as decorative

Show to developers only* ▾

IMAGE_DECORATIVE_CAROUSEL

Manual check: captioned image has no alt text

Show to developers only* ▾

IMAGE_FIGURE_DECORATIVE

Nested interactive layout components

Show to developers only* ▾

QA_NESTED_COMPONENTS

Text is too small

Show to developers only* ▾

QA_SMALL_TEXT

Invalid HTML list

Show to developers only* ▾

UNCONTAINED_LI

Input and button tests

Defaults are marked with a *

Button is missing an accessible label

Show to developers only* ▾

BTN_EMPTY

Button has an invalid ARIA label

Show to developers only* ▾

BTN_EMPTY_LABELLEDBY

Button name repeats the word "button"

Show to developers only* ▾

BTN_ROLE_IN_NAME

Is there a visible label for this field?

Show to developers only* ▾

LABELS_ARIA_LABEL_INPUT

Manual check: placeholder text

Show to developers only* ▾

LABELS_PLACEHOLDER

Is this reset button needed?

Show to developers only* ▾

LABELS_INPUT_RESET

This input is not connected to a label

Show to developers only* ▾

LABELS_MISSING_LABEL

Visible label does not match invisible label

Show to developers only* ▾

LABEL_IN_NAME

Contrast tests

Contrast tests may appear on every page. You may turn them off when not actively developing.

Defaults are marked with a *

Do not check contrast for this element

.sr-only

Provide a comma-separated list of class names for all users. Additional elements will be ignored. Content editors are ignoring: .sr-only

Text does not have enough contrast

Show to developers only* ▾

CONTRAST_ERROR

Graphic or icon does not have enough contrast

Show to developers only* ▾

CONTRAST_ERROR_GRAPHIC

Input does not provide enough contrast

Show to developers only* ▾

CONTRAST_INPUT

Placeholder text does not have enough contrast

Show to developers only* ▾

CONTRAST_PLACEHOLDER

Does this placeholder text have enough contrast?

Show to developers only* ▾

CONTRAST_PLACEHOLDER_LINK

Does this text have enough contrast?

Show to developers only* ▾

CONTRAST_WARNING

Does this graphic or icon have enough contrast?

Off*

CONTRAST_WARNING_GRAPHIC

Pages with alerts ☆

Dashboard Recent Alerts **Pages** Dismissals Export Recheck

Filter and sort

Title Page path Author Editor

Enter a comma separated list of user names. Enter a comma

Authored before Authored after Content type Entity type

YYYY-MM-DD YYYY-MM-DD

Sort by Order Items per page

Apply

Content alerts	Dev alerts	Title	Path	Type	Authored	Author	E
129	3	foobar	/en/node/23	Recipe	2025-10-16	admin	2
88	3	view.views_accor-dion.page_1	/en/views-accordion	View: Views accordion			
29	3	hi	/en/aliassss	Basic page	2025-10-16	admin	2
27	2	Hola	/es/node/27	Basic page	2025-10-23	admin	2

Role-based Reports



Global OKs

(For PDFs and theme regions)



English Español Deutsch

This page is missing a Heading 1

To fix Tag the page title as a level 1 heading, to mark the beginning of the document outline.

Tip: headings and subheadings organize content into a nested outline. Screen reader users rely on this outline to understand and explore pages:

- Heading level 1: page titles
 - Heading level 2: major topics
 - Heading level 3: subtopics

Template issue
Alert 1 / 5

Manual check Ignore **Mark OK** ▶ Similar alerts < >

Manual check Ignore **Mark OK** ▶ Similar alerts < >

Mark OK on all pages

Note:
theme region
config UI is
still a little
confusing



Editoria11y: developer settings ☆

Additional tests and split configuration for developers

Developer check area

- All elements
- Only the containers listed in the Content Setting tab
- The specific containers listed below

"All elements" selects all descendants of the body tag, excluding Drupal admin toolbars.

Ignore for both developers and content editors

Any areas that are excluded for developers will also be excluded for content editors. Do not exclude editable content areas!

Editoria11y: content editor settings ☆

What content should be checked?

Check content in these containers

Default: `main`
Provide [CSS selectors](#) for user-editable parts of the page. Do not provide selectors that nest within each other, or the inner content will be checked twice.

Skip over these elements

Provide a comma-separated list of selectors for elements to ignore.
E.g.: `#sidebar-menu a, .slide [aria-hidden="true"]`.

Dev tests always run.

Dev tests have their own check area and ignores.

Then the content settings *filter the dev results* by the content settings.

...Dev check areas **MUST** include the content areas.

Dashboard maintenance tools



Drop deleted
Update titles
Update paths

Drop / ?p=2

CRAWL...

Dashboard Actions ☆

Dashboard Recent Alerts Pages Dismissals Export **Recheck**

Routine refresh

Drop records for deleted or moved pages
Deletes results that no longer have valid paths or entity references.

Update page titles
Replaces recorded titles for Nodes, Terms and Users with the current value on their edit page.

Update page paths
Replaces recorded URLs for Nodes, Terms and Users with their current canonical path.
[Paths with parameters](#) (node/1?node=2) will not be updated.

^ Risky deletions

Delete records for paths with parameters (e.g., ?page=2)

None ▾


Used to remove duplicate records when previously recorded parameters like page numbers or search keys were not meaningful. Parameters that are not meaningful should be removed from the list of parameters to save under "Syncing results to reports" in the module configuration.
[Paths with parameters](#) should be reviewed before proceeding. **There is no undo.**

Start

Recheck nodes

Set up a crawl

A “headful” crawler:



The screenshot shows a web crawler interface. At the top, there is a navigation bar with a 'Back to site' link, a breadcrumb trail 'Administration / Reports / Content Accessibility Issu...', and a warning message: 'This site is intended for demonstration purposes.' Below the navigation bar, the main heading is 'Editoria11y: Crawl Nodes'. There is a 'Pause crawl' button and a dropdown menu set to '500' with the text 'Millisecond pause between page requests'. A warning message states: 'This tab needs to remain open and in the foreground during the crawl. Estimated time: 1 minute'. A progress bar is shown at the bottom, indicating 'Checked: 30 / 46 pages' and '65%' completion. A sidebar on the left contains several icons for navigation and settings.

Run in a browser with caching enabled plz.



And that's the
3.x suite Beta.

Core

- **52** content tests (*15 new*)
- Improved dashboard
- 16 translations

CSA

- **38** developer tests
- Role-based config
- Readability scoring
- Global dismissals
- Dashboard maintenance tools



I need feedback

Tell me...

- Is it annoying enough?
- When is it too annoying?
- Missed errors?
- False positives?
- Must-have features?
- Waste-of-space features?





fin.

Ready soon:

editoria11y.com

Ready now:

drupal.org/project/editoria11y

Me:

drupal.org/u/itmaybejj